

TECHNICAL DATA SHEET

PRODUCT CODE	SPN B 400 T
WEIGHT	400 gr / m ² ± % 5
PATTERN	TWILL
WARP	2.5 / cm
WEFT	2.5 / cm
WIDTH	Up to 127 cm
YARN	12 K Dowaksa Carbon A 49
TENSILE STRENGTH	4900 MPA / 710 KSI
TEST METHOD	ISO 10618
THICKNESS	0.40 ± % 10
TEST METHOD	ISO 4603
PACKING	ALL ROLLS ARE WRAPPED WITH PE SHEET AND IN SINGLE CARDBOARD BOXES
STORAGE	STORE IN A COOL AND DRY PLACES KEEP AWAY FROM DIRECT SUN LIGHT



SPINTEKS TEKSTİL İNŞAAT SAN. Ve TİC. AŞ.

ORGANİZE SANAYİ BÖLGESİ NEVZAT KORU CADDESİ NO:46 DENİZLİ/TURKEY

PHONE : +90 (258) 269 25 68

WEB www.spinteks.com