



Vergola®
the original
and still the best



Vergola

WORLDWIDE

www.vergola.com



Why is Vergola® still the best?

Vergola® was Australia's first opening and closing louvre roof system when it was invented in 1984. So, why is the original Vergola® still the best?

Made of longer-lasting Australian-made Colorbond®

While other louvre systems use cheaper aluminium alternatives, Vergola® continues to use the superior Australian-made BlueScope® Colorbond® that is the roofing material of choice for nearly half of all new Australian homes and over 80% of all Australian gutters and fascias. Colorbond® steel complies with building standard AS2728.


- 1 Colorbond® is manufactured from Zinalume® steel with an aluminium/zinc/magnesium alloy coating that is stronger and longer-lasting than aluminium
- 2 A conversion layer is applied to the steel surface to improve adhesion
- 3 Colorbond's Super Polyester coating technology ensures the Vergola's finish retains its 'as new' look for longer
- 4 Exterior grade paint is baked on to the Zinalume® steel base giving Vergola® resistance to chipping, peeling and cracking that is superior to powder-coated aluminium louvres





Double-skin aerofoil louvres create better insulation

Vergola's unique double-skin aerofoil-shaped louvre creates an insulating air-gap to keep you cooler in summer and warmer in winter than single-skin aluminium louvre systems.



When heating your outdoor living space, Vergola's double-skin aerofoil louvres reduce heat loss through the roof to keep you warm.


Vergola's double-skin aerofoil louvres reduce heat radiation to the living space below to keep you cool.

The only Design Council award winner

Vergola® is the only louvre system to be awarded the Industrial Design Council of Australia's "Prince Philip Prize for Australian Design" and three Australian Design Council awards for innovation.




Developed for Australia's harsh climate, Vergola® provides a range of adjustable louvre controlled solutions that will enable you to control your environment in all seasons, climates and settings.



Lets in the greatest amount of natural light

Maximum natural light, diffused light and full shade. Fully open the Vergola® allows 89% of all available light, more than any other louvre system.




Maximum airflow & wind protection

Maximum airflow for cooling breezes or wind protection. Vergola® louvres are manufactured to withstand cyclones and comply with building standards - AS1562 and AS1170.2.



99.9% weatherproof

Vergola's interlocking design allows the louvres to close into a roof that is 99.9% weatherproof to protect you during rain.



Smart rain sensor technology

Vergola's state-of-the-art rain sensor closes the louvres at the onset of rain and can be programmed to stay shut or reopen after rain.

Automated control options

The automated control unit ensures that the Vergola® can be operated by remote which allows smooth and secular operation of the louvres. Operate up to eight bays individually or automatically.

Options include: timers, home automation compatibility and fire system connectivity for commercial premises.






Flexible design and configuration

Vergola® can be built to any style whether flat, raked or gabled. Vergola® adjustable roofing system can be incorporated into a range of structures. Vergola® can either be freestanding or part of an existing building.

The use of a range of architectural fittings and facilities ensure that Vergola® structures fit the most exacting and contemporary architectural designs, while still being able to integrate seamlessly into period styles.



Watertight guttering and flexible framework

Specially designed gutters are fitted along the inside perimeter of the framework to ensure the Vergola® structure is watertight, and water is safely run off into downpipes. The gutters are also manufactured using Colorbond®.

The frame can be timber, steel, aluminium or any other structure that complies with local building codes. Timber allows Vergola® to complement pergolas or be integrated into traditional built structures.

Steel structures enable a Vergola to be customised in various sizes and architectural styles. In Australia, Vergola® structures are generally constructed using preferably galvanized C Purlins which allow for long uninterrupted spans.





International Head Office

Freecall: **1800 8374 652**

Phone: **+61 8 8150 6888**

Fax: **+61 8 8150 6868**

Email: admin@vergola.com

101 Port Road
Thebarton SA 5031
Australia

Your Local Distributor



Vergola

WORLDWIDE

www.vergola.com